


DEMKO CERTIFICATE

Certificate No.	D-07668-A1
Page	1/3
Date of Issue	2020-10-22
Certificate Holder	NATIONAL INSTRUMENTS CORP 11500 N MOPAC EXPY AUSTIN TX 78759-3504 UNITED STATES
Manufacturer	NATIONAL INSTRUMENTS CORP 11500 N MOPAC EXPY AUSTIN TX 78759-3504 UNITED STATES
Production site	NI MALAYSIA SDN BHD NO 8 LEBUH BATU MAUNG 1 11960 BAYAN LEPAS MALAYSIA See Page 2
Certified Product Model	Measurement and Control System cDAQ-9185, cDAQ-9189, cDAQ-xxxx, cRIO-9040, cRIO-9041, cRIO-9042, See Page 2
Trademark	
Rated Voltage / Frequency	See Page 2
Rated Current / Power	See Page 2
Insulation Class	Class I
Degree of protection (IP)	IP40
Tested acc. to	EN 61010-1:2010, EN 61010-2-030:2010
Test Report No.	E183728-D1011-3/A1/C0-Informative issued on 2020-04-30
Additional	This Certificate replaces Certificate No. D-7668-M1 dated 2020-05-14 due to updating trademarks.
Expire date	2022-02-22

Certification Manager
Jan-Erik Storgaard

This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this Certificate, in accordance with the D-Mark Requirements. As specified in the respective appendix below the Designated Certificate holder is entitled to use the D-Mark, or its alternative for cables, for the Certified Product manufactured at the production site(s) identified above, in accordance with the D-Mark Service Agreement, including without limitation the D-Mark Testing and Certification Services Service Terms. Only those Products bearing the D-Mark should be considered as being covered by UL's D-Mark Service. This Certificate shall remain valid through the expiration date, unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this Certificate is amended or withdrawn prior the expiration date.

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65,
info.dk@ul.com
www.UL.com



Appendix DEMKO CERTIFICATE

Certificate No. D-07668-A1
Page 2/3
Date of Issue 2020-10-22

Model Details:

cDAQ-9185, cDAQ-9189, cDAQ-xxxx

cRIO-9040, cRIO-9041, cRIO-9042, cRIO-9043, cRIO-9045, cRIO-9046, cRIO-9047, cRIO-9048,
cRIO-9049, cRIO-9262 with DSUB, cRIO-9803

NI 9202, NI 9202 with DSUB, NI 9210, NI 9216 with DSUB, NI 9216 with DSUB Nonincendive, NI 9219,
NI 9224, NI 9226 with DSUB, NI 9228, NI 9230 with BNC, NI 9231, NI 9232 with BNC, NI 9235, NI 9236,
NI 9246, NI 9247, NI 9250 with BNC, NI 9251 with mini XLR, NI 9252, NI 9252 DSUB, NI 9253, NI 9266,
NI 9266 with DSUB, NI 9326, NI 9350, NI 9351, NI 9361, NI 9425, NI 9436, NI 9470, NI 9476, NI 9770,
NI 9804, NI 9805, NI 9860,

TB 9212 with mini TC, TRC-8542, TRC-8543, TRC-8546.

Models cRIO-904x may be followed by TPM which does not affect safety. Products may also be referred to as NI XXXX, cRIO-XXXX, cDAQ-XXXX or XXXX, where XXXX is one of the four digit numbers above.

Production Sites:

NI HUNGARY
KFT HATAR UT 1/A 4031 DEBRECEN
HUNGARY

Ratings:

NOT CONNECTED TO MAINS - Ratings are optional; for additional information see Test Report.

Additional Information:

Built-In

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com
www.UL.com



Appendix DEMKO CERTIFICATE

Certificate No. D-07668-A1
Page 3/3
Date of Issue 2020-10-22

Certification Mark D-Mark

The D-Mark, as displayed below, shall appear on certified products only. Minimum size is not specified, as long as the Mark is legible.



The size of the Mark may be reduced or enlarged on the condition that it remains readable and that the proportions of width and height are kept. The use of dark text for the D-Mark on light backgrounds and light text on dark backgrounds is permitted.

When putting the product on the EU market, the manufacturer's name, trademark or mark of origin must be affixed in a clearly visible location and position on the product, on the package and in the user manual. It can be affixed by label, be directly imprinted, or cast or molded into the product.

Alternate certification Mark for cables

As an alternative to the D-Mark specified above the alternate D-Mark, displayed below, can appear on certified cables only. Minimum size is not specified, as long as the mark is legible.

◁DEMKO▷

The alternate D-Mark may be cast, stamped or moulded into the cable and continue throughout the length of the cable as specified in the applicable cable standard.

All content shall be in accordance with the details provided on this D-Mark Certificate.

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com
www.UL.com

