




NI is now part of Emerson.



Solution Brief



Beam Position Monitor Control Electronics

Spallation Neutron Source, Oak Ridge National Laboratory


Modern particle accelerators must operate with highly demanding beam stability requirements. To deliver such stability, beam control electronics need to meet stringent precision, accuracy, and dynamic range requirements. In addition, electronics must be reliable and flexible, and speed up the development process.

Beam Position Monitor Control Electronics

With NI's beam position monitor (BPM) control electronics solution, you can measure critical beam parameters to enable beam tune-up, trajectory correction, and beam centering on the target and dumps. You also can reduce instrument development time and resources while improving reliability and availability. Decrease tuning time by using accurate measurements in the beam dynamics simulation model as part of this commercial off-the-shelf (COTS) solution.

Application Requirements


- Take measurements from many channels and perform high-speed signal processing for closed-loop control
- Achieve Linux OS support and connectivity to industry-standard tools such as EPICS and Tango
- Meet demanding schedule, cost, and RASM targets while ensuring long life-cycle management



The NI Advantage

Take advantage of diverse beam instrumentation applications proven in leading laboratories such as ORNL, CERN, and SuperKEKB.

Use a single platform that scales from the high speed and high resolution needed for BPM instrumentation to the motion control required for beam collimation applications.




Key Specifications (FlexRIO)

Maximum Sample Rate	6.4 GS/s
Analog Input Resolution	Up to 16 bits
FPGA	Kintex UltraScale, Kintex-7 (Xilinx)
Data Streaming	Up to 7 GB/s
Form Factors	PXI, PCIe, Stand-Alone

“The wide range of off-the-shelf ADCs and complementary modules available from NI combined with the flexibility of FlexRIO allowed us to develop a modern, large-scale accelerator BPM system with significantly fewer resources than any custom solution would require.”

Alexander (Sasha) Aleksandrov
Spallation Neutron Source, Oak Ridge National Laboratory



HYSPEC Beamline, Spallation Neutron Source

System Integration on Your Terms

NI offers a variety of solution integration options customized to your application-specific requirements. You can use your own internal integration teams for full system control or leverage the expertise of our worldwide network of Alliance Partners to obtain a turnkey system.

NI Services and Support

- Consulting and Integration
- Turnkey Solution Delivery and Support
- Repair and Calibration
- Global Support
- Prototyping and Feasibility Analysis
- Training and Certification

©2023 National Instruments. All rights reserved. National Instruments, NI, and ni.com are trademarks of National Instruments Corporation. Other product and company names listed are trademarks or trade names of their respective companies.

Contact Us

Learn more at ni.com/energy



NI is now part of Emerson.